



BID/CONTRACTED STREET CUT REPAIR

(AWARDED CONTRACTOR REPAIRS WITH CITY)

NOTES:

1. FLOWABLE FILL AS AN ALTERNATIVE TO CLASS 7 FULL DEPTH BACKFILL MUST BE REQUESTED AND APPROVED BY ENGINEERING DEPARTMENT PRIOR TO USE. A 300 PSI MIX IS REQUIRED IF APPROVED.
2. REFER TO BENTONVILLE WATER & SEWER SPECIFICATIONS AND DETAILS FOR INFORMATION REGARDING PIPE BEDDING.
3. REFER TO CITY OF BENTONVILLE STREET CUT SPECIFICATIONS (LATEST EDITION) FOR ADDITIONAL INFORMATION.
4. A RIGHT-OF-WAY PERMIT IS REQUIRED FOR ALL STREET CUTS. THESE CAN BE FOUND ON OUR WEBSITE (WWW.BENTONVILLEAR.COM) OR PICKED UP AT THE STREET/ENGINEERING DEPARTMENT OFFICE LOCATED AT 3200 SW MUNICIPAL DRIVE.
5. INSURE AN APPROVED TRAFFIC CONTROL PLAN IS IN PLACE PRIOR TO CLOSING ANY ROADWAY.
6. NO OVERNIGHT STREET CUTS ARE ALLOWED UNLESS APPROVED BY THE CITY STREET DEPARTMENT AND IS MARKED ACCORDING TO NIGHT TIME CLOSURE REQUIREMENTS FOUND IN MUTCD AND IS COVERED WITH STEEL TRAFFIC PLATES.

